

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2003
Irvington Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	163	20	5	33	168	20
AIDS-CD4 Only	260	32	0	0	260	32
HIV Only	386	48	10	67	396	48
-----	-----	---	-----	---	-----	---
Total	809	100	15	100	824	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	23	3	0	0	23	3
5-12	14	2	Black, Not Hispanic	746	92	14	93	760	92
13-19	12	1	Hispanic	33	4	0	0	33	4
20-29	63	8	Other/Unknown	#	#	#	#	8	1
30-39	221	27	-----	-----	---	-----	---	-----	---
40-49	342	42	Total	809	100	15	100	824	100
50+	171	21							
Unk.	#	#							
-----	-----	---							
Total	824	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	63	15	0	0	63	8
Injection drug user (IDU)	115	27	61	16	176	22
MSM/IDU	22	5	0	0	22	3
Heterosexual contact	70	17	169	45	239	30
Risk not reported/other***	152	36	143	38	295	37
-----	-----	---	-----	---	-----	---
Total	422	100	373	100	795	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	13	93	13	87	26	90
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	14	100	15	100	29	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2003.

** 14 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2003
Irvington Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	# (#)	# (#)	# (#)	# (#)	316 (28)	258 (82)
Other OI w/o PCP	369 (33)	267 (72)	18 (82)	10 (56)	387 (34)	277 (72)
KS Alone	# (#)	# (#)	# (#)	# (#)	5 (0)	5 (100)
No Disease Listed	430 (39)	170 (40)	0 (0)	0 (.)	430 (38)	170 (40)
Total	1116 (100)	697 (63)	22 (100)	13 (59)	1138 (100)	710 (63)

2. Age *	Cases %		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	16	1	White, Not Hispanic	57	5	0	0	57	5
5-12	6	1	Black, Not Hispanic	1000	90	19	86	1019	90
13-19	11	1	Hispanic	#	#	#	#	57	5
20-29	167	15	Other/Unknown	#	#	#	#	5	0
30-39	494	43							
40-49	321	28	Total	1116	100	22	100	1138	100
Over 49	123	11							
Unknown	0	0							
Total	1138	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	137	19	0	0	137	12
Injection drug user (IDU)	300	41	120	31	420	38
MSM/IDU	36	5	0	0	36	3
Heterosexual contact	85	12	151	39	236	21
Risk not reported/other***	166	23	118	30	284	26
Total	724	100	389	100	1113	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	14	93	9	90	23	92
Risk not reported/other***	#	#	#	#	#	#
Total	15	100	10	100	25	100

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 3 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2003
Irvington Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	16	14	88%
1985	15	14	93%
1986	26	26	100%
1987	45	43	96%
1988	50	43	86%
1989	49	45	92%
1990	54	46	85%
1991	64	61	95%
1992	62	56	90%
1993	117	93	79%
1994	114	80	70%
1995	96	51	53%
1996	80	30	38%
1997	81	36	44%
1998	70	21	30%
1999	67	27	40%
2000	41	8	20%
2001	46	12	26%
2002	37	#	#
2003	8	#	#
-----	-----	-----	-----
Total	1138	710	62%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2003
Irvington Residents

1. Age *	Cases %		2. Race/Ethnicity	Adult/Adl* Cases %		Pediatric* Cases %		Total Cases %	
	-----	---		-----	---	-----	---	-----	---
Under 5	18	4	White, Not Hispanic	14	3	0	0	14	3
5-12	#	#	Black, Not Hispanic	382	92	18	90	400	92
13-19	8	2	Hispanic	#	#	#	#	13	3
20-29	111	26	Other/Unknown	#	#	#	#	8	2
30-39	162	37	-----	-----	---	-----	---	-----	---
40-49	99	23	Total	415	100	20	100	435	100
Over 49	34	8							
Unknown	#	#							
-----	-----	---							
Total	435	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	27	14	0	0	27	7
Injection drug user (IDU)	55	28	35	16	90	22
MSM/IDU	8	4	0	0	8	2
Heterosexual contact	34	17	100	46	134	32
Risk not reported/other***	74	37	82	38	156	38
-----	-----	---	-----	---	-----	---
Total	198	100	217	100	415	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	7	100	11	85	18	90
Risk not reported/other***	0	0	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	7	100	13	100	20	100

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having
been HIV-infected as children. They are counted as adult/adolescent
reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS
that have subsequently been updated to AIDS. Also not included in these tables are
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2003
Irvington Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	685	45	23	51	708	45
AIDS-CD4 Only	#	#	#	#	430	27
HIV Only	#	#	#	#	435	28
-----	-----	---	-----	---	-----	---
Total	1528	100	45	100	1573	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	38	2	White, Not Hispanic	71	5	0	0	71	5
5-12	7	0	Black, Not Hispanic	1379	90	40	89	1419	90
13-19	23	1	Hispanic	#	#	#	#	70	4
20-29	316	20	Other/Unknown	#	#	#	#	13	1
30-39	662	42	-----	-----	---	-----	---	-----	---
40-49	382	24	Total	1528	100	45	100	1573	100
Over 49	144	9							
Unknown	#	#							
-----	-----	---							
Total	1573	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	164	18	0	0	164	11
Injection drug user (IDU)	355	39	155	26	510	33
MSM/IDU	44	5	0	0	44	3
Heterosexual contact	119	13	251	41	370	24
Risk not reported/other***	240	26	200	33	440	29
-----	-----	---	-----	---	-----	---
Total	922	100	606	100	1528	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	21	95	20	87	41	91
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	22	100	23	100	45	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2003
Irvington Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	16	14	88%
1985	20	19	95%
1986	36	33	92%
1987	57	50	88%
1988	68	56	82%
1989	72	58	81%
1990	92	69	75%
1991	90	73	81%
1992	152	79	52%
1993	141	77	55%
1994	130	62	48%
1995	109	45	41%
1996	110	27	25%
1997	108	28	26%
1998	84	21	25%
1999	84	18	21%
2000	68	10	15%
2001	68	7	10%
2002	54	#	#
2003	13	0	0%
Unknown	#	#	#
-----	-----	-----	-----
Total	1573	749	48%